

Image capture, measurement and analysis software

- Easy image capture and annotation
- On-screen measurement of lines, circles, areas, angles
- Save and recall calibrations for future convenience
- Auto-creation of measurement table for easy data reporting



FM 557119

Vision Engineering Ltd has been
certified for the quality management
system ISO 9001:2008.

Image capture, measurement & analysis software

Highlights

- ✓ Easy image capture and annotation
- ✓ On-screen measurement of lines, circles, areas, angles
- ✓ Save and recall calibrations for future convenience
- ✓ Auto-creation of measurement table to easy data reporting

The updated ViFox imaging software (version 7) adds image capture and on-screen measurement capabilities to Vision Engineering's outstanding range of inspection solutions*, proving a complete documentation solution – in a single software package.

*Compatible with...



- ✓ Mantis Elite-Cam HD eyepiece-less stereo microscope
- ✓ Lynx EVO eyepiece-less stereo microscope
(with Smart Cam integrated HD camera option)
- ✓ EVO Cam digital microscope

Features

- Save images as JPG, BMP, or PNG files
- Crosshair overlay and customisable overlay grid
- Create, or import scalable 2D overlays
- Parallel lines tool, for annotation and checking
- Change colour settings for lines, labelling, arrows, text etc.
- Layer functionality, making further editing easy
- Overlay of annotations over live image
- Drag and drop images with burned-in annotation into other applications

Multi-language software

Supported languages: English; French; German; Italian; Spanish; Polish.






Measurement functionality

Measurement tools allow calibration for accurate measurement, with calibrated settings easily saved and recalled for convenient operation.

Create, or import scalable 2D overlays, for checking against specific design, or quality requirements.

- Measurement (2D) of lines, circles, areas, angles etc.
- Polygonal line measurement – to measure non-straight lines.
- Measurement of the area and circumference of a feature.
- Stage micrometer for calibration purposes.
- Save and recall calibrations for future convenience.



Minimum system requirements

IBM-compatible PC with Pentium, or AMD CPU, min. 1.5GHz, min. 1GB RAM
Graphics card with own memory, min. 128MB (no shared memory).
Recommended: PCI Express graphics card from ATI, or NVIDIA. DirectX software standard as of August 2009 must be installed.

Mainboard with full USB 3.0 support and USB 3.0 High Powered Port (500mA) interface (if applicable refit equivalent plug-in card)

ViFox 7 is compatible with Windows 7, Windows 8/8.1 and Windows 10



Additional options for EVO Cam...

Wi-Fi image transfer


Transfer captured images from EVO Cam via Wi-Fi. Triggered from the camera, the Wi-Fi option offers a simple solution to transfer images without the need for a hard-wired connection.

Remote camera control of EVO Cam

- Control EVO Cam remotely via PC.
- Control zoom and focus.
- Zoom to magnification value.
- Adjust illumination intensity.
- Memory functions (x3), to store/recall all camera settings.

Control of other camera functions, including:

- Exposure iris; Gain; High contrast; Black & white; Crosshair



EVOCAM

ViFox is an exclusive version of pixel-fox®.

ViFox was developed by our imaging partner dhs Solution GmbH | www.dhssolution.com

For more information...

Vision Engineering has a network of offices and technical distributors around the world. For more information, please contact your Vision Engineering branch, local authorised distributor, or visit our website.

Distributor



PBT Rožnov p.R., s.r.o.
Lesní 2331
756 61 Rožnov pod Radhoštěm
Česká republika

tel.: +420 571 669 311
e-mail: pbt@pbt.cz
web: www.pbt.cz



Vision Engineering Ltd.
(Manufacturing)
Send Road, Send,
Woking, Surrey, GU23 7ER, England
Tel: +44 (0) 1483 248300
Email: generalinfo@visioneng.com

Vision Engineering Ltd.
(Commercial)
Monument House,
Monument Way West,
Woking, Surrey, GU21 5EN, England
Tel: +44 (0) 1483 248300
Email: generalinfo@visioneng.com

Vision Engineering Inc.
(Manufacturing & Commercial)
570 Danbury Road,
New Milford, CT 06776 USA
Tel: +1 (860) 355 3776
Email: info@visioneng.com

Vision Engineering
(Brasil)
Email: info@visioneng.com.br

Vision Engineering Ltd.
(Central Europe)
Anton-Pendele-Str. 3,
82275 Emmering, Deutschland
Tel: +49 (0) 8141 40167-0
Email: info@visioneng.de

Vision Engineering Ltd.
(France)
ZAC de la Tremblaie,
Av. de la Tremblaie
91220 Le Plessis Paté, France
Tel: +33 (0) 160 76 60 00
Email: info@visioneng.fr

Vision Engineering Ltd.
(Italia)
Via G. Paisiello 106
20092 Cinisello Balsamo MI, Italia
Tel: +39 02 6129 3518
Email: info@visioneng.it

Nippon Vision Engineering
(Japan)
272-2 Saedo-cho, Tsuduki-ku,
Yokohama-shi, 224-0054, Japan
Tel: +81 (0) 45 935 1117
Email: info@visioneng.jp

Vision Engineering
(China)
11J,
International Ocean Building,
720 Pudong Avenue,
Shanghai,
200120, P.R. China
Tel: +86 (0) 21 5036 7556
Email: info@visioneng.com.cn

Vision Engineering
(South East Asia)
P-03A-20, Impian Meridian,
Jalan Subang 1,
USJ 1, 47600 Subang Jaya,
Selangor Darul Ehsan,
Malaysia
Tel: +604-619 2622
Email: info@visioneng.asia

Vision Engineering
(India)
Email: info@visioneng.co.in

Disclaimer – Vision Engineering Ltd. has a policy of continuous development and reserves the right to change or update, without notice, the design, materials or specification of any products; the information contained within this brochure/datasheet and to discontinue production or distribution of any of the products described.



Visit our multi-lingual website:

www.visioneng.com